

INDEX MAPS.

T.15N R.1W 2nd Mer.

	6	6	5	5	5	5						
8	6	29	5	25	4	21	3	17	2	12	1	4
	31	29		25		21		17		12		
8	7	29	8	25	9	21	10	16	11	12	12	4
	31	28		24		20		16		11		
8	18	28	17	24	16	19	15	15	14	10	13	4
	30	28		24		19		15		10		
7	19	27	20	23	21	19	22	14	23	10	24	3
	30	27		23		19		14		10		
7	30	26	29	22	28	18	27	14	26	9	25	3
	30	26		22		18		13		9		
6	31	26	32	22	33	17	34	13	35	9	36	3
	2	2		2		1		1		1		

T.16N R.1W 2nd Mer.

	41	40	40	40	40	39						
39	6	62	5	57	4	53	3	49	2	45	1	36
	64	61		57		53		49		45		
38	7	61	8	57	9	52	10	48	11	44	12	36
	63	60		56		52		48		44		
38	18	60	17	56	16	52	15	48	14	43	13	36
	63	60		55		51		48		43		
38	19	59	20	55	21	51	22	47	23	43	24	35
	62	59		55		50		46		42		
37	30	59	29	54	28	50	27	46	26	42	25	35
	62	58		54		50		46		42		
37	31	58	32	54	33	49	34	45	35	41	36	35
	34	34		34		33		33		33		

The figures on the lines refer to the page.

Township N. 16 N.R. N. 17. 2nd Mer. Sec.
ch. 16.

South Boundary. Var. 5° 50'

July 11th 1819.

151

West Pt. mile on the South Boundary of Sec. 36. T. N. 16. N.R. N. 17.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 9 in dia. bears S 21 E. 14 links dist; to
Do 18 " " " N 6 E. 9 " " "

80.00 Set a post for the cor. to Sec. 35. & 36. T. N. 16. N.R. N. 17. from which a
Beck 10 in dia. bears S 72 W. 15 links dist; to
Sugar 38 " " " N 43 E. 31 " " "
Lands level; Timber Beck, Sugar, Ash & Oak
Good farming land;

West 2nd Mer. On the South Boundary of Sec. 35. T. N. 16. N.R. N. 17.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 10 in dia. bears N 70 W. 37 links dist; to
Sugar 30 " " " S 86 E. 41 " " "

75.00 To a Brook 10 links wide; course S.

80.00 Set a post for the cor. to Sec. 34. & 35. T. N. 16. N.R. N. 17. from which a
Sugar 18 in dia. bears N 67 W. 16 links dist; to
Do 9 " " " S 85 E. 31 " " "

West On the 3rd mile; on the South Boundary of Sec. 34. T. N. 16. N.R. N. 17.

40.00 Set a post for the cor. to 1/4 sec. from which a
Sugar 14 in dia. bears N 23 W. 9 links dist; to
Beck 9 " " " S 38 E. 22 " " "

65.00 To a Brook 50 links wide; course S.

80.00 Set a post for the cor. to Sec. 33. & 34. T. N. 16. N.R. N. 17. from which a
Sugar 14 in dia. bears S 38 E. 13 links dist; to
Do 27 " " " N 32 W. 22 " " "
Lands level and timber same as on the last mile

D. N. 16. N. R. N. 17. 2nd Mer. (S. 11. 6)

- West On the South Boundary of sec. 33. T. N. 16. N. R. N. 17.
 25.00 Log Brook 3 miles wide; Course N.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beech 12 in. dia. bears N 61 W. 20 links dist; to
 Log woods 8 " " " S 72 E. 13 " "
 44.00 Log Brook 3 miles wide; Course N.
 76.00 Log Brook 4 " " " " N.
 80.00 Set a post for the cor. to sec. 32. & 33. T. N. 16.
 N. R. N. 17. from which a
 Beech 9 in. dia. bears S 77 E. 12 links dist; to
 Log woods 5 " " " N 40 W. 12 " "
 Sands similar to that on the last mile; (not
 rolling);

West On the 5th Mile on the S. Boundary of sec. 32.
 T. N. 16. N. R. N. 17.

- 10.00 Log Brook 10 miles wide; Course N. E.
 37.50 Log Brook 4 " " " S. W.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W. Ash 30 in. dia. bears S 79 W. 30 links dist; to
 Sugar 18 " " " N 83 E. 17 " "
 80.00 Set a post for the cor. to sec. 31. & 32. T. N. 16.
 N. R. N. 17. from which a
 Hickory 12 in. dia. bears N 7 E. 11 links dist;
 W. Ash 12 " " " S 46 W. 24 " "
 Sands similar to the last mile; very rich
 and a little rolling Timber Walnut & Hickory

West On the 6th mile on the S. Boundary of sec. 31.
 T. N. 16. N. R. N. 17.

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Hickory 9 in. dia. stands S 86 W. 3 links dist;
 Beech 12 " " " N 56 E. 25 " "
 61.96 Set a post on the Range line 353 links North
 of the township Township Cor. and set a post
 for the cor. to Towns 15. 15. & 16. 16. N. R.
 N. 11-2 W. from which a " "

T. N. 16 N. R. N. 17. 2nd Mer. (Ind. c.)

Beck 15 in. dia. head N. 57 E. 2 links dist; re
Sugar 18 " " " S 71 W. 52 " "
Lands 1st rate for farming; Timber Same

East Boundary Var. 5.55'

179

August 6th 1819.

North On the 2nd Mer. on the East Boundary of sec. 36.
T. N. 16 N. R. N. 17.

6.00 To a Brook 12 links mid; Course East.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 8 in. dia. head N. 51 W. 10 links dist; re
Do 8 " " " S 49 E. 14 " "

60.00 To a Brook 8 links mid; Course E.

78.00 " " " 8 " " " " "

80.00 Set a post for the cor. to sec. 25. & 36. T. N. 16
N. R. N. 17. from which a
Sugar 10 in. dia. head S 43 W. 19 links dist; re
Do 10 " " " N 23 E. 6 " "
Lands, rolling, good, 2nd rate; Timber Beck
Sugar, Ash, Oak, Good farming lands.

North On the 2nd Mer. on the East Boundary of sec.
25. T. N. 16 N. R. N. 17.

39.50 To a Brook 8 links mid; Course E.

40.00 Set a post for the cor. to 1/4 sec. from which a
Beck 8 in. dia. head S 37 W. 49 links dist;
To a Brook 9 " " " N 35 W. 12 " "

60.00 To a Brook 10 links mid; Course E.

80.00 Set a post for the cor. to sec. 24. & 25. T. N. 16
N. R. N. 17. from which a
Oak 24 in. dia. head N 60 W. 34 links dist;
Beck 9 " " " S 68 E. 24 " "
Lands Soil and timber Same as the last sec.

North On the 2nd Mer. on the East Boundary of sec. 24
T. N. 16 N. R. N. 17.

T. N^o 16 N.R. N^o 17. 2nd Mer. (Ind.)

- 40.00 Two Sycamores 36 in dia which stands for the cor. to 1/4 sec.
- 80.00 Set a post for the cor. to sec. 13. & 24 T. N^o 16 N.R. N^o 17. From which a
 Beech 9 in. dia. bears S 57^W. 88 miles dist; to
 Do 9 " " " N 17^E. 25 " "
 Lands South of rather wet and low. North of the same

North On the 2nd Mer. on the East Boundary of sec. 13 T. N^o 16 N.R. N^o 17.

- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Maple 18 in. dia bears N 37^W. 41 miles dist; to
 Do 18 " " " South 10 " "
 80.00 Set a post for the cor. to sec. 12. & 13. T. N^o 16 N.R. N^o 17. From which a
 W. Ash 14 in. dia bears S 30^W. 5 miles dist; to
 W. Oak 18 " " " N 6^E. 29 " "
 North of level and wet; South of good farming land;

North On the 2nd Mer. on the East Boundary of sec. 12 T. N^o 16 N.R. N^o 17.

- 17.00 Lost Brook 10 miles wide; course N. E.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
 Beech 14 in. dia bears S 61^E. 44 miles dist;
 W. Ash 10 " " " S 80^W. 16 " "
 80.00 Set a post for the cor. to cor. 1. & 12 T. N^o 16 N.R. N^o 17. From which a
 Beech 18 in. dia. bears S 60^E. 21 miles dist; to
 W. Oak 18 " " " N 44^W. 16 " "
 Lands level and good 2nd rate; Timber Beech Sugar, White and Ash; Lands good for farming;

North On the 2nd Mer. on the East Boundary of

T. No 16 N.R. No 17. 2nd Mer. Ind. (1)

Sec 1. T. No 16 N.R. No 17.

- 38.50 To a Brook 8 miles wide; Course East.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Tree 9 in. dia. bears S 21 W. 22 miles dist; to
 Tree 9 " " " N. 18 E. 25 " "
 88.50 To M^{rs} Donalds E. & W. line and set a
 post at the intersection for the cor. to Town
 16. & 16. 17. & 17 N.R. 1 E. & 1 W. 2nd Mer.
 from which a Tree 2 1/2 in. dia. bears N. 70 W.
 10 miles dist; to Tree 12 " " S 35 W.
 17 " " Same as on the last mile.

West Boundary Var. 6.15

North On the East Boundary of Sec 36. T. No 16 N.
 R. No 2 W.

153.

- 38.00 To a Brook 3 miles wide; Course W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Sugar 18 in. dia. bears S 28 E. 44 miles dist; to
 Tree 8 " " " N 38 W. 8 " "
 52.50 To a Brook 10 miles wide; Course W.
 80.00 Set a post for the cor. to Sec. 25 & 36. T. No 16
 N.R. No 2 W. from which a
 Sugar 18 in. dia. bears S 4 W. 41 miles dist; to
 Tree 8 " " " N 37 W. 27 " "
 Lands rolling and very rich good for farm-
 ing; Timber Beech, Ash, Sugar, Poplar, Syc-
 amore, Walnut;

North On the East Boundary of Sec. 25. T. No 16 N.
 R. No 2 W.

- 22.00 To a Brook 10 miles wide; Course W.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 W. Ash 9 in. dia. bears S 19 W. 11 miles dist; to
 Tree 36 " " " N 22 E. 20 " "
 59.00 To a Brook 6 miles wide; Course W.
 80.00 Set a post for the cor. to Sec. 24 & 25. T. No 16.

T. N^o 16 N.R. N^o 1 W. 2nd Mer. (Ind. A.)

N.R. N^o 2 W. from which a
Buck 14 in. dia. beam S 76 E. 38 miles dist; to
Lg 14 " " " N 71 W. 31 " "
Sands soil and timber same as the last mile.

North On the East Boundary of sec. 24 T. N^o 16 N.R.
N^o 2 W.

40.00 Set a post for the cor. to 1/4 sec. from which a
Lynn 10 in. dia. beam N 75 E. 22 miles dist; to
W Oak 8 " " " S 82 W. 33 " "

80.00 Set a post for the cor. to sec. 13. & 24 T. N^o 16.
N.R. N^o 2 W. from which a
Buck 12 in. dia. beam S 85 W. 16 miles dist;
Lg 7 " " " N 63 E. 31 " "
Sands similar to the last mile.

North On the East Boundary of sec. 13. T. N^o 16 N.
R. N^o 2 W. 2nd Mer. Var. 6° 5'

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 9 in. dia. beam S 10 E. 15 miles dist; to
W Oak 9 " " " North 7 " "

80.00 Set a post for the cor. to sec. 12. & 13. T. N^o 16
N.R. N^o 2 W. from which a
Buck 9 in. dia. beam S 10 E. 23 miles dist; to
Lg 12 " " " N 18 E. 35 " "
Sands a little rolling and muddling good,
for farming; Timber, Buck, Sugar, Oak, &
Oak.

North On the East Boundary of sec. 12. T. N^o 16 N.
R. N^o 2 W. July 12th 1819. Var. 6° 15'

40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 12 in. dia. beam N 12 W. 24 miles dist; to
Lg 11 " " " S 61 E. 47 " "

59.50 Enter a swamp

68.00 Filled the Swamp.

T. N^o 16. N.R. N^o 17. 2nd Mer. (Ind.)

West On the South Boundary of Sec. 35. T. N^o 17. N.
R. N^o 17.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Tree 9 in. dia. bears S 56 W. 33 miles dist; to
N. Oak 27 " " " N 31 E. 19 " "

80.00 Set a post for the cor. to Sec. 34 & 35 T. N^o 17.
N.R. N^o 17. from which a
Tree 9 in. dia. bears S 17 E. 31 miles dist; to
N. Oak 18 " " " N 29 W. 4 " "
Lands and timber similar and good for farming

August 7. 1819

West On the South Boundary of Sec. 34. T. N^o 17. N.R.
N^o 17.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
Tree 10 in. dia. bears S 58 W. 16 miles dist; to
Do 9 " " " N 58 E. 33 " "

80.00 Set a post for the cor. to Sec. 33 & 34. T. N^o 17. N.
R. N^o 17. from which a
Tree 10 in. dia. bears S 35 E. 34 miles dist; to
Oak 14 " " " N 56 W. 18 " "
Lands and timber 2nd rate; fruit and swampy
fruit good for farming.

West On the South Boundary of Sec. 33. T. N^o 17. N.R.
N^o 17.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
N. Oak 18 in. dia. bears S 61 E. 7 miles dist; to
N. Oak 24 " " " N 44 E. 20 " "

80.00 Set a post for the cor. to sections 32 & 33. from which
a Tree 18 in. dia. bears N 34 W. 17 miles dist; to
Do 14 " " " S 40 E. 29 " "
Lands and timber similar as in the last one.

West On the South Boundary of Sec. 33 T. N^o 17. N.R.
N^o 17.

T. No 16. N.R. No 17. 2nd (sur. (Ind.)

- 40.00 Set a post for the cor. to 1/4 sec. from which an
Oak 20 in. dia. bears N 16 W. 30 miles dist; to
W. Ash 6 " " " S 25 E. 24 " "
- 80.00 Set a post for the cor. to sec. 31. & 32, T. No 17. N.
N. No 17. from which an
Aspen 14 in. dia. bears N 2 E. 6 miles dist; to
Poplar 18 " " " S 20 E. 9 " "
- Best of Lands rich and good for farming;

- West On the South Boundary of sec. 31. T. No 17. N.R.
No 17.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
W. Oak 9 in. dia. bears S 4 W. 16 miles dist; to
Cypress 9 " " " N 20 W. 29 " "
- 60.74 In the center the Range line 940 miles N of the
temp. of Township Cor. and set a post from which
Buck 14 in. dia. bears S 32 E. 23 miles dist; to
Hickory 9 " " " N 10 W. 30 " "
- 80.00 Set a post for the cor. to sec. 31. & 36. T. No 17. & 17
N.R. 1 & 2 W. from which a
W. Ash 10 in. dia. bears S 36 W. 7 miles dist; to
Hickory 9 " " " N 39 E. 4 " "
- Good farming lands; good 2nd rate;

Surveyed by
William Harris Ld.

Subdivisions

- North Section Sec. 35. & 36. T. No 16. N.R. No 17
- 19.80 To a Hickory 18 in dia. stands in the line.
- 40.00 Set a post for the cor. to 1/4 sec. from which a
Buck 16 in. dia. bears N 27 W. 31 miles dist; to
Do 16 " " " S 23 E. 15 " "
- 69.54 To a Maple 12 in dia. bears in the line
- 80.00 Set a post for the cor. to sec. 25, 26, 35, & 36. from
which a Buck 10 in. dia. bears S 60 W. 36 miles dist;

T. N. 16. N. R. N. 1 W. 2nd Mer. (Ind. a)

Sugar 16 mi. dis. head S 36 E. 21 miles dist;
Sands head and very wet; 2nd rate; Timber
Y. Beech, Sugar, Oak, Ash & Mt. Maple.

East On a Random line between Sec. 25, & 36, T. N. 16
N. R. N. 1 W.

40.00 Set a temporary post for the cor. to 1/4 Sec.

80.60 Introduced the 2nd Mer. 124 miles N. of the post
Set for the cor. to Sec. 25, & 36, T. N. 16. N. R. N.
1 W. Sands, soil, timber, &c. same as on the last mile

West On the true line between Sec. 25, & 36, T. N. 16 N.
R. N. 1 W.

40.30 Set the temporary post at the corner, dist. on the true line
for the cor. to 1/4 Sec. from which a

Y. Beech 16 mi. dis. head N 55 E. 41 miles dist; &c

Do 14 " " " S 32 W. 4 " "

80.60 To the post set for the cor. to Sec. 25, 26, 35, & 36.

North Between Sec. 25, & 26, T. N. 16. N. R. N. 1 W.

21.00 To a N. Oak 24 mi. dis. stands on the line.

40.00 Set a post for the cor. to 1/4 Sec. from which a

Beech 14 mi. dis. head S 65 W. 23 miles dist; &c

Do 14 " " " East. 10 " "

55.55 To a N. Oak 24 mi. dis. stands on the line.

80.50 Set a post for the cor. to Sec. 23, 24, 25, & 26. From
which a Beech 10 mi. dis. head S 80 W. 30 miles dist;
and a Do 18 " " " N 70 E. 10 " "
Sands soil timber same as on the last mile.

East On a Random line between Sec. 24, & 25, T. N. 16
N. R. N. 1 W.

40.00 Set a post for the cor. by the temporary.

80.50 Introduced the N. 15 line or 2nd Mer. 198 miles
N. of the post set for the cor. to Sec. 24 & 25, T. N.
16 N. R. N. 1 W. Sands same as on the last mile.

T. N. 16 N. R. N. 1 W. 2nd Mer. (Qu. 2)

West On the true line between Sec. 24 & 25. T. N. 16 N. R. N. 1 W.

40.25 Set the temporary post at the aver. dist on the true line for the cor. to $\frac{1}{4}$ Sec. from which a

White 14 in. dia. bears S 87 E. 26 links dist; to

Do 6 " " " N 65 W 18 " "

80.50 To the post set for the cor. to Sec. 23, 24, 25, & 26.

North Between Sec. 23 & 24. T. N. 16 N. R. N. 1 W.

28.70 To a Birch 20 in. dia. stands in the line

40.70 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a

W. Ash 12 in. dia. bears N 41 W. 28 links dist; to

Y. B. Ash 6 " " " S 63 E. 20 " "

59.70 To a Sugar 22 in. dia. stands in the line.

80.70 Set a post for the cor. to Sec. 13, 14, 23, & 24 from which a Maple 24 in. dia. bears South 46 links dist; to

W. Elm 18 " " " N 3 E. 45 " "

Sands Soil and timber same as on the last mile.

East On a Meridian line between Sec. 13 & 24 T. N. 16 N. R. N. 1 W.

40.00 Set a post (temporary) for the cor. to $\frac{1}{4}$ Sec.

80.40 Introduce the 2nd Mer. or N. S. line 258 links

North of the post set for the cor. to Sec. 13 & 24. T. N. 16

N. R. N. 1 W. Sands Soil and timber as before

West On the true line between Sec. 13 & 24. T. N. 16 N. R. N. 1 W.

40.20 Set the temporary post at the aver. dist on the true line for the cor. to $\frac{1}{4}$ Sec. from which a

W. Elm 24 in. dia. bears N 24 W. 18 links dist. to

W. Elm 22 " " " S 50 E. 5 " "

80.40 To the post set for the cor. to Sec. 13, 14, 23, & 24

North Between Sec. 13 & 14 T. N. 16 N. R. N. 1 W.

20.25 To a Sugar 24 in. dia. stands in the line.

T. N. 16. N. R. N. 17. 2nd Mer. (S. 1. 1.)

- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 14 in. dia. bears N 53 W. 24 miles dist; to
 Do 10 " " "
- 55.75 Iron Buck 12 in. dia. stands in the line
- 80.00 Set a post for the cor. to Sect. 11, 12, 13, & 14 from
 which an W. Elm 12 in. dia. bears N 63 W. 23 miles
 dist; to Sugar 16 " " " S 70 E. 19 "
 Lands here and there; Timber as on the last mile
 May 18 21.

- East On a line from line between Sect. 12, & 13. T. N. 16.
 N. R. N. 17
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. (turn p. 9)
- 80.31 Intersected the 2nd Mer. 316 miles North of the
 post set for the cor. to Sect. 12, & 13. T. N. 16 N.
 R. N. 17. Lands not to. 2nd rate;

- West On the true line between Sect. 12, & 13. T. N. 16.
 N. R. N. 17.
- 40.15 $\frac{1}{2}$ Set the temporary post at the aver. dist on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 Buck 22 in. dia. bears S 40 W. 32 miles dist; to
 Do 20 " " " N 15 E. 45 " "
- 80.31 To the post set for the cor. to Sect. 11, 12, 13, & 14

- North Between Sect. 11 & 12 T. N. 16. N. R. N. 17.
- 21.63 Iron Hornbeam 6 in. dia. stands in the line.
- 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 W. Ash 12 in. dia. bears N 11 W. 20 miles dist; to
 W. Ash 8 " " " S 44 E. 15 " "
- 68.80 Iron W. Ash 12 in. dia. stands in the line.
- 80.00 Set a post for the cor. to Sect. 1, 2, 11, & 12. from which
 a Buck 10 in. dia. bears N 42 W. 17 miles dist; to
 Do 6 " " " S 77 E. 26 " "
 Lands rich with timber same as on the last mile.

Plot N. No 17. 2nd Mer. (Indiana)

East On a random line between Sec. 1 & 12 T. N. 16. N. R. N. 17.

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.

80.21 Introduce the 2nd Mer. 368 links North of the post set for the cor. to Sec. 1 & 12. T. N. 16. N. R. N. 17. Same soil and timber same as on the last mile.

West On the true line between Sec. 1 & 12 T. N. 16. N. R. N. 17.

40.10 $\frac{1}{2}$ Set the temporary post at the corner dist on the true line for the cor. to $\frac{1}{4}$ Sec. from which a

N. Oak 34 in. dia. bears S 79 W. 17 miles dist; 10

N. Oak 28 " " " S 79 E. 20 " "

80.21 To the post set for the cor. to Sec. 1, 2, 11, 12.

North Between Sec. 1 & 2 T. N. 16. N. R. N. 17.

24.75 To a N. Oak 24 in. dia. stands in the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a

Beck 10 in. dia. bears N. 58 W. 15 miles dist; 10

Do 9 " " " S 83 E. 18 " "

62.63 To a N. Elm 12 in. dia. stands in the line.

84.75 Introduce the 1st Correction line 47 links West of the post

and set a post for the cor. to Sec. 2 & 3. from which a

Beck 16 in. dia. bears N 44 E. 36 miles dist; 10

N. Oak 18 " " " S 44 W. 12 " "

Same soil and timber same as on the last mile.

May 2nd 18 21.

North Between Sec. 34 & 35. T. N. 16. N. R. N. 17.

20.70 To an Ironwood 6 in. dia. stands in the line

40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a

Beck 12 in. dia. stands N 9 E. 23 miles dist;

Do 20 " " " S 4 W. 29 " "

61.70 To a Poplar 36 in. dia. stands in the line.

80.00 Set a post for the cor. to Sec. 26, 27, 34 & 35 from

T. N. 16. N. R. No 1 W. 2nd Mer. (Ind.)

which a Tree 12 in. dia bears N 85 W. 14 miles dist
 and a Do 4 " " " N 77 E. 26 " "
 Land good 2nd quality; Timber Tree, Sugar,
 Oak, Ash, My Spice.

East On a Random line between Lat. 26. & 35. T. N. 16.
 N. R. No 1 W.

40.00 Set a temporary post for the cor. to 1/4 sec.

79.00 Intersect the N. & S. line 15 miles South of the post
 set for the cor. to Lat. 25, 26, 35, 36. Land best and
 good for farming; Timber same as on the last mile

West On the true line between Lat. 26. & 34. T. N. 16. N.
 R. No 1 W.

39.50 Set the temporary post at the cor. dist on the true line
 for the cor. to 1/4 sec. from which a

T. Oak 8 in. dia bears N 35 W. 29 miles dist; 10
 T. Oak 10 " " " S 81 E. 28 " "

79.00 To the first set for the cor. to Lat. 26, 27, 34, & 35.

North Between Lat. 26. & 27. T. N. 16. N. R. No 1 W.

23.00 To a P. Oak 40 in. dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a
 W. Oak 8 in. dia bears N 52 W. 15 miles dist; 10
 W. Oak 8 " " " S 72 E. 17 " "

62.61 To a Hick 318 in. dia. Stands in the line.

80.00 Set a post for the cor. to Lat. 22, 23, 26, 27. from
 which a Tree 10 in. dia bears S 64 W. 26 miles dist
 and a T. Oak 12 in " " " N 72 E. 14 " "
 Land best and good for farming; Timber
 same as on the last mile.

East On a Random line between Lat. 23 & 26. T. N. 16. N. R.

40.00 Set a temporary post for the cor. to 1/4 sec.

78.98 Intersect the N. & S. line 6 miles South of the post set
 for the cor. to Lat. 23, 24, 25, & 26.

T. N^o 16. N.R. N^o 17. 2nd Mer. (Ind.)

Ch. Un.

Lands sold and timber same as above the line.

West On the true line between Sec. 23 & 26. T. N^o 16 N.
R. N^o 17.39.49 Set the temporary post at the av. dist. on the true line for the
cor. to $\frac{1}{4}$ sec. from which a

Sugar 6 in. dia. bears N 12 E. 6 miles dist; 10

Do 16 " " " S 15 W. 19 " "

48.98 Set the post etc for the cor. to Sec. 22, 23, 26, 27.

North Return Sec. 22, & 23. T. N^o 16 N.R. N^o 17.

23.54 To a W. Elm 30 in. dia. stands on the line.

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a

Pine 12 in. dia. bears N 64 W. 42 miles dist; 10

Do 20 " " " S 29 E. 17 " "

63.75 To a sugar 19 in. dia. stands on the line.

80.00 Set a post for the cor. to Sec. 14, 15, 22, 23 from which a

W. Ash 12 in. dia. bears N 30 W. 11 miles dist; 10

Pine 8 " " " S 51 E. 18 " "

Lands sold and timber as before.

East On a Random line between Sec. 14 & 23. T. N^o 16 N.
R. N^o 17.40.00 Set a post (temp.) for the cor. to $\frac{1}{4}$ sec.79.00 Enter into the N & S line 8 miles South of the post etc
for the cor. to Sec. 13, 14, 23, & 24.

Lands sold and timber same as on the last mile

West On the true line between Sec. 14 & 23. T. N^o 16 N.
R. N^o 1739.50 Set the temporary post at the av. dist. on the true line
for the cor. to $\frac{1}{4}$ sec. from which a

Sugar 24 in. dia. bears S 47 E. 36 miles dist; 10

Pine 12 " " " N 74 W. 28 " "

May 3rd 1821.

T. N^o 16 N.R. N^o 17. 2nd Mer Ind⁹

- North Between Sep. 14. & 15 T. N^o 16 N.R. N^o 17
 22.57 To a Beck 18 mi. dis. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 N. Oak 36 mi. dis. bears S 87^o W. 24. miles due; to
 N. Oak 36 " " " N 30 E. 12 " "
 60.80 To a Beck 20 mi. dis. Stands in the line.
 80.00 Set a post for the cor. to Sep. 10. 11. 14. & 15. from which
 a Beck 10 mi. dis. bears S 97^o W. 13 miles due; to
 Do 16 " " " N 40 E. 32 " "
 Sands and timber same as in the last mile.

- East On a line from the line between Sep. 11. & 14 T. N^o 16. N.R. N^o 17.
 40.00 Set a temporary post for the cor. to 1/4 sec.
 79.02 Intersection the N.R. line 12 miles South of the post set
 set for the cor. to Sep. 11. 12. 13. & 14.
 Sands and timber same as in the last mile.

- West On the true line between Sep. 11. & 14 T. N^o 16. N.R. N^o 17.
 39.57 Set the temporary post at the av. dist. in the true line for the
 cor. to 1/4 sec. from which
 Beck 8 mi. dis. bears N 86^o W. 23 miles due; to
 Do 10 " " " S 32^o W. 7 " "
 79.02 To the post set for the cor. to Sep. 10. 11. 14. 15.

- North Between Sep. 10. & 11. T. N^o 16. N.R. N^o 17.
 22.11 To a Beck 12 mi. dis. Stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 N. Oak 14 mi. dis. bears S 12 E. 18 miles due; to
 N. Oak 6 " " " N 20 W. 22 " "
 68.40 To an N. Oak 18 mi. dis. Stands in the line.
 80.00 Set a post for the cor. to Sep. 2. 3. 10. 11. from which a
 Beck 12 mi. dis. bears S 25^o W. 13 miles due; to
 Do 16 " " " N 60 E. 17 " "
 Sands and timber of 2nd equality; timber same.

T. No. 16 N.H. No. 17. 2nd Mer. (S. d.)

East On a Random line between Lat. 2. & 11. T. No. 16. N.H. No. 17.

40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec. from which a
79.00 Intersected the N. & S. line 4 miles South of the post
Set for the cor. to Lat. 1. 2. 11. 12. Sands level and
of moderate; Timber Buck, Oak, Ash, &c

West On the true line between Lat. 2. & 11. T. No. 16 N.H. No. 17.

39.50 Set the temp. post at the cor. dist. on the true line.
For the cor. to $\frac{1}{4}$ sec. from which a
73 Ash 6 in. dia. bears S 33 E. 3 miles dist; &c
73 Ash 10 " " " N 45 W. 20 " "
79.00 To the post set for the cor. to Lat. 2. 3. 10. 11.

North Between Lat. 2 & 3. T. No. 16 N.H. No. 17.

22.55 To a Beech 12 in. dia. Stands in the line.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
W. Elm 18 in. dia. bears N 54 E. 28 miles dist; &c
100 8 " " " S 56 W. 12 " "
59.15 To a Beech 30 in. dia. Stands in the line.
84.86 Intersected the N. & S. Correction line. 19 miles west
of the post
Set a post for the cor. to Lat. 2 & 3. from which a
Beech 10 in. dia. bears N 77. 9 miles dist; &c
100 10 " " " N 46 E. 31 " "
Sands level and timber same as on the last mile
May 4th 1821.

North Between Lat. 33 & 34. T. No. 16. N.H. No. 17.

8.15 To a Beech 4 miles east; Course E.
19.63 To a Sugar 24 in. dia. Stands in the line.
34.18 To a Beech 40 miles east; Course S.E.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
W. Walnut 24 in. dia. bears N 34 W. 15 miles dist; &c
W. Thorn 10 " " " S 15 E. 26 " "

I. N. 16 N. R. N. 177. 2nd Mer. (L. 2)

- 62.60 Iron Bar Oak 60 in. dia. Stands in the line.
 80.00 Set a post for the cor. to Sec. 27, 28, 33 & 34 from which
 a sugar 30 in. dia. bears S 40 W. 27 miles dist; to
 Buck 10 " " " N 45 E. 21 " " "
 Sunde 1st 1/2 mile Rolling 2nd rate; 2nd 1/2 " " "
 2nd rate; Timber Buck, Sugar Oak,

East On a Random line between Sec. 27 & 34 I. N. 16
 N. R. N. 177.

- 22.70 Iron Bar 10 miles wide; course South.
 70.00 Set a temporary post for the cor. to 1/4 Sec.
 79.10 Into Section the N. P. S. line 45 miles South of the post
 set for the cor. to Sec. 26, 27, 34 & 35
 Sunde and timber same as on the last mile;

West On the true line between Sec. 27, 34 I. N. 16 N. R.
 N. R. N. 177.

- 39.60 Set the temporary post at the av. dist on the true line for
 the cor. to 1/4 Sec. from which
 Sugar 16 in. dia. bears South 25 miles dist; to
 N. Oak 14 " " " N 10 E 37 " " "
 79.10 Into post set for the cor. to Sec. 27, 28, 33 & 34.

North Between Sec. 27, & 28. I. N. 16 N. R. N. 177.

- 21.90 Iron Bar 16 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 1/4 Sec. from which
 Buck 10 in. dia. bears N 31 W. 33 miles dist; to
 do 16 " " " S 54 E. 6 " " "
 62.80 Iron Bar 20 in. dia. Stands in the line.
 80.00 Set a post for the cor. to Sec. 21, 22, 27 & 28. From
 which Buck 20 in. dia. bears S 59 W. 29 miles dist
 and a Logwood 6 " " " N 25 E. 30 " " "
 Sunde and 2nd rate; Timber Buck, Sugar,
 Oak, and Ash.

East On a Random line between Sec. 22, & 27 I. N. 16 N. R.

T. N^o 16 N. R. N^o 17. 2nd Mer. (C. d. u.)

- 31.70 To a Brook 10 miles wide; Quince S. W.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec. from which a
 79.11 Intersect the N. & S. line 41 miles South of the post.
 Set for the cor. to Sec. 22, 23, 26, & 27.
 Same soil and timber same as on the last mile.

- West On the true line between Sec. 22, & 27 T. N^o 16 N. R. N^o 17.
 39.60 p Set the temporary post at the aver. dish on the true line
 for the cor. to $\frac{1}{4}$ sec. from which a
 13 Walnut 34 in. dia. stands N 64 E. 14 miles dish; 10
 Sugar 14 " " " N 47 N. 29 " "
 79.11 Set the post set for the cor. to Sec. 21, 22, 27, & 28

- North Between Sec. 21. & 22 T. N^o 16. N. R. N^o 17.
 21.00 To a Sugar. 22 in. dia. stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 1 Buck 8 in. dia. stands S 31 N. 39 miles dish; 10
 20 6 " " " N 23 E. 10 " "
 57.10 To a W. Elm 24 in. dia. stands in the line.
 80.00 Set a post for the cor. to Sec. 15, 16, 21, & 22 from which
 a W Oak 24 in. dia. stands S 12 N. 7 miles dish; 10
 Birch 16 " " " N 14 E. 38 " "
 Same soil and timber same as on the last mile.
 May 5th 1821.

- East On a Random line between Sec. 15, & 22 T. N^o 16 N. R. N^o 17.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.09 Intersect the N. & S. line 41 miles South of the post.
 Set for the cor. to Sec. 14, 15, 22, 23.
 Same soil and timber same as on the last miles.

- West On the true line between Sec. 15, & 22 T. N^o 16 N. R. N^o 17.
 39.54 p Set the temporary post at the aver. dish on the true line.

T. N^o 16. N. R. N^o 17. Q. R. Mer. (Ind.)

for the cor. to 1/4 Sec. from which are
 Ironwoods 4 in. dia. bears S 117. 8 miles dist; 10
 Ironwoods 10 " " " N 49 E. 28 " "
 79.09 To the post set for the cor. to Sec. 15. 16. 21. & 22.

North Between Sec. 15. & 16. T. N^o 16 N. R. N^o 17.

26.95 To a N. Elm 20 in. dia. stands in the line.

41.00 Set a post for the cor. to 1/4 Sec. from which are
 Hornbeams 4 in. dia. bears N 32 W. 13 miles dist;
 10 " " " S 47 W. 13 " "

61.90 To a N. Elm 12 in. dia. stands in the line.

63.05 To a little N. Ash or big Spruce. 400 paces from
 Capt. S. W.

80.00 Set a post for the cor. to Sec. 9. 10. 15. 16. from which
 Birch 12 in. dia. bears S 37 W. 13 miles dist; 10
 N. Oak 40 " " " N 60 E. 21 " "
 Sand and timber same as on the last mile.

East On a N. Elm line between Sec. 10. & 15. T. N^o 16.
 N. R. N^o 17.

42.00 Entered a Maple Spruce or Spruce.

40.00 Set a temporary post for the cor. to 1/4 Sec.

64.00 Set the above named Spruce.

74.10 Enter between the N. & S. line 45 miles South of the
 post set for the cor. to Sec. 10. 11. 14. 15
 Sand and timber same as on the last mile.

West On the trail line between Sec. 10. & 15 T. N^o 16 N.
 R. N^o 17.

39.55 Set the temporary post at the corner with in the trail line
 for the cor. to 1/4 Sec. from which are
 Maple 4 in. dia. bears S 70 W. 19 miles dist; 10
 10 12 " " " N 70 W. 14 " "

79.10 To the post set for the cor. to Sec. 9. 10. 15. & 16.

North Between Sec. 9. & 10. T. N^o 16 N. R. N^o 17.

T. N. 16 N. R. N. 17. 2nd Mer. (Ind. 2)

- 22.40 To a Buck 12 in. dia. Stands in the line
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 N. Oak 10 in. dia. bears S 39 E. 17' miles dist; to
 N. Oak 30 " " " N 97 W. 26 " "
 61.14 To a W. Oak 24 in. dia. Stands in the line.
 80.00 Set a post for the cor. to Sec. 3. 4. 9. 10. from which a
 Buck 12 in. dia. bears N 24 E. 30 miles dist; to
 Do 10 " " " S 97 W. 14 " "
 Description of lands timber soil &c same as on the last
 mile.

-
- East On a Random line between Sec. 3. & 10. T. N. 16 N. R.
 N. N. 17.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec. from which
 79.10 Intersection the N. & S line 46 miles North of the post
 set for the cor. to Sec. 2. 3. 10. 11.
 Cuts and soil 2nd rate wood; Timber Buck,
 Sugar, Oak, Ash, &c

-
- West On the true line between Sec. 3. & 10. T. N. 16 N. R.
 N. N. 17.
 39.55 Set the temporary post at the aver. dist on the true line.
 for the cor. to $\frac{1}{4}$ sec. from which a
 N. Oak, 10 in. dia. bears S 47 E. 20 miles dist; to
 Buck 6 " " " N 29 W. 11 " "
 79.10 To the post set for the cor. to Sec. 3. 4. 9. 10.

North Between Sec. 3. & 4. T. N. 16 N. R. N. 17.
 26.69 To a B. Jack 8 in. dia. Stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 N. Oak 16 in. dia. Stands S 51 E. 17 miles dist; to
 N. Oak 10 " " " N 65 W. 26 " "
 61.80 To a Spruce 18 in. dia. Stands in the line.
 85.43 Intersection the N. & S correction line 3 miles West of
 the post
 and set a post for the cor. to Sec. 3. & 4. from which a
 Hick 17 18 in. dia. bears N 47 W. 17 miles dist; to

T. N. 16. N. R. No 17. 2nd Mer (Ind. C)

Beck 12 in. dia. beam S 35 E. 35 miles dist;
May 6th 1821.

- North Return Sect. 32, & 33 T. N. 16. N. R. No 17.
3 00 To a Brook 4 miles wide; Course East
21.90 To a Beck 22 in. dia. stands in the line.
40.00 Set apart for the cor. to 1/4 sec. from which
N. Oak 30 in. dia. beam N. 57 W. 8 miles dist; do
N. Oak. 28 " " " S 51 E. 33 " "
57.08 To a Beck 6 in. dia. stands in the line
80.00 Set apart for the cor. to Sect. 28, 29, 32, & 33. from
which a Hackberry 4 in. dia. beam S 67 W. 5 miles dist;
and a Beck 14 " " " N 77 E. 25 " "
Lands rolling and broken 2 miles; Timber
Beck, Oak, and Ash, &c

East On a Main line between Sect. 28, & 33. T. N. 16 N.
R. N. 17.

- 21 00 To a Brook 40 miles wide; Course S. E.
40.00 Set apart for the cor. to 1/4 sec. from W'
79.54 Set a line the N. & S line 15 miles N. of the post set
for the cor. to Sect. 27, 28, 33 & 34
Lands rolling and broken; Timber same as on the
last mile;

West On the true line between Sect. 28, & 33. T. N. 16 N.
R. N. 17

- 39.77 Set this temporary post at the corner between the true line
for the cor. to 1/4 sec. from which
N. Oak, 28 in. dia. beam N 53 E. 33 miles dist; do
Beck 14 " " " S 89 W. 14 " "
79.54 To the post set for the cor. to Sect. 28, 29, 32, & 33.

North Return Sect. 28, & 29 T. N. 16 N. R. No 17.

- 19.50 To a Spruce 18 in. dia. stands in the line.
24 00 To a Brook 3 miles wide; Course East

I N^o 16 N.R. N^o 17th 2nd Mer. (Ind^a)

- 29.60 Top Brook 40 miles wide; lower E.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beck 28 in. dia. beam N11 W. 19 miles dist; to
 do 4 " " " N49 E. 33 " "
 64.60 Top M. Lake 12 in. dia. stands in the line.
 80.00 Set a post for the cor. to Sep. 20, 21, 28, & 29 from
 which a Beck 10 in. dia. beam N36 W. 20 miles dist
 and a do 6 " " " S39 E. 17 " "

East On a Random line between Sep. 21. & 28. *I N^o 16.*
N. N. N^o 17.

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.
 79.46 Intersected the N & S line 12 miles North of the post
 set for the cor. to Sep. 21, 22, 27, & 28.
 Sands pit and timber same as on the last mile.

West On the true line between Sep. 21. & 28. *I N^o 16 N. N.*
N^o 17.

- 39.73 Set the temp. post at the cor. dist. in the true line.
 for the cor. to $\frac{1}{4}$ sec. from which a
 Top line 10 in. dia. stands N10 W. 30 miles dist; to
 Beck 12 " " " S13 E. 11 " "

North Between Sep. 20. & 21. *I N^o 16 N. N. N^o 17*

- 22.60 Top Beck 22 in. dia. stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
 Beck 20 in. dia. stands N21 W. 11 miles dist; to
 Beck 18 " " " N4 E. 36 " "
 60.90 Top Beck 18 in. dia. stands in the line.
 80.00 Set a post for the cor. to Sep. 16, 17, 21, & 22. *I N^o 16 N.*
N. N^o 17. from which a
 Beck 10 in. dia. beam S11 E. 30 miles dist; to
 do 8 " " " N16 W. 19 " "
 Sands pit and timber same as on the last mile.

East On a Random line between Sep. 16. & 21. *I N^o 16 N.*

T. N^o 16. N. R. N^o 177. 2nd Mer. (Ind.)

- 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
 79.54 Enter onto the N. & S. line 12 miles North of the post
 set for the cor. to Sec. 15, 16, 21, 22.
 Sand & soil and timber same as before.

- West On the true line between Sec. 16 & 21. T. N^o 16. N. R.
 N^o 177.
 39.77 Set a post (temporary) at the corner, with on the true line
 for the cor. to $\frac{1}{4}$ Sec. from which a
 S. Walnut 30 in. dia. bears N 68 E. 33 miles dist;
 Birch 14 " " " S 20 W. 17 " "
 May 7th 1831.
 79.54 To the post set for the cor. to Sec. 16, 17, 21, & 22.

- North Between Sec. 16 & 17. T. N^o 16 N. R. N^o 177.
 310 To a Birch 30 miles, near; corner S. W.
 20.00 To a White 18 in. dia stands in the line.
 40.00 Set a post for the cor. to $\frac{1}{4}$ Sec. from which a
 W. Oak 12 in. dia. bears N 66 W. 58 miles dist; to
 Spruce 16 " " " S 62 E. 17 " "
 64.40 To a W. Oak 12 in. dia stands in the line.
 80.00 Set a post for the cor. to Sec. 8, 9, 16, 17. from which a
 P. Oak 12 in. dia. bears East 10 miles dist; to
 W. Oak 16 " " " S 2 W. 30 " "
 Sand & soil and not; Timber same as on the last
 mile.

- East On a Random line between Sec. 9 & 16. T. N^o 16.
 N. R. N^o 177.
 40.00 Set a temporary post for the cor. to $\frac{1}{4}$ Sec.
 79.49 Intersected the N. & S. line 8 miles N. of the post
 set for the cor. to Sec. 9, 10, 15 & 16.
 Sand & soil not and 2nd rate; Timber same
 as on the last mile.

- West On a true line between Sec. 9 & 16. T. N^o 16 N. R.

T. No 16 N.R. No 17. 2nd Mer. (J. A. C.)

- 39.74 1/2 Set the temporary post at the aver. dish on the true line
for the cor. to 1/4 sec. from which a
Beck 10 in. dia. bears N 31 E. 21 miles dish; or
W Edm 20 " " " S 57 N. 24 " "
79.44 To the post set for the cor. to Sec. 8. 9. 16. & 17.

North Between Sec. 8 & 9. T. No 16 N.R. No 17.

- 27.20 To a Beck 12 in. dia. stands in the line.
40.00 Set a post for the cor. to 1/4 sec. from which a
Poplar 48 in. dia. bears N 80 W. 16 miles dish; or
67.60 To a W Oak 24 in. dia. stands in the line.
80.00 Set a post for the cor. to Sec. 4. 5. 8. 9. T. No 16 N.
R. No 17. from which a
White 718 in. dia. bears S 31 W. 26 miles dish; or
Ironwood 6 " " " N 51 E. 13 " "
Sundog and not 2nd Mer.; Timber same as
on the last mile.

East On a Run down between Sec. 4 & 9. T. No 16 N.
R. No 17.

- 40.00 Set a temporary post for the cor. to 1/4 sec.
79.54 Enter across the N. & S. line 8 miles North of the post
set for the cor. to Sec. 3. 4. 9. 10.
Sundog and not 2nd Mer.; Timber same as on the
last mile;

West On the true line between Sec. 4 & 9. T. No 16 N.
R. No 17.

- 39.77 Set the temporary post at the aver. dish on the true
line for the cor. to 1/4 sec. from which a
Beck 10 in. dia. bears North 26 miles dish; or
20 10 " " " S 72 W. 12 " "
79.54 To the post set for the cor. to Sec. 4. 5. 8. 9.

North Between Sec. 4 & 5 T. No 16 N.R. No 17.

- 23.20 To a Beck 16 in. dia. stands in the line.

T N. 16. N.R. N. 1st W. 2nd Mer (Ind.)

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
Beek 14 in. dia. bears N 29 E. 29 miles dist; to
Do 22 " " " S 48 E. 50 " "

66.80 Iron Beek 22 in. dia. stands in the line.

85.60 Intersected the 1st correct in line 25 the
E. end of the post

and set a post for the cor. to sec.

4 + 5. from which a

Beek 12 in. dia. bears N 37 W. 3.3 miles dist;

Do 16 " " " S 1 E. 19 " "

Same soil and timber same as in the last mile.

North Between Sec. 31. & 32 T N. 16. N.R. N. 1st W.

22.11 Iron Beek 12 in. dia. bears in the line

40.00 Set a post for the cor. to $\frac{1}{4}$ from which a

Beek 22 in. dia. bears N 15 E. 40 miles dist; to

Buckeye 12 " " " S 34 W. 6 " "

62.66 Iron Beek 40 in. dia. stands in the line.

80.00 Set a post for the cor. to sec. 29, 30, 31. & 32 T N.
16 N.R. N. 1st W. from which a

Beek 12 in. dia. bears N 26 W. 20 miles dist; to

Knackbrylon " " " S 18 E. 22 " "

Same rolling and Rst rate; Timber T.B. & W. Walnut
nut Sugar Oaks and Ash, &c. (W) Spruce.

*East On a Random line between Sec. 29. & 32. T N. 16
N.R. N. 1st W.*

40.00 Set a temp. post for the cor. to $\frac{1}{4}$ sec. for

49.31 Intersected the N. line at the post set for the
cor. to sec. 28, 29, 32, & 33. Same rolling Rst rate
Timber Beek, Sugar, T.B. & W. Walnut. Ash &c

*West On the true line between Sec. 29. & 32 T N. 16 N.
R. N. 1st W.*

39.65 Set the temp. post at the aver. dist; in the true
line for the cor. to $\frac{1}{4}$ sec. from which a

T. N. 16. N. R. N. 17. D. & Mer. (Qua.)

Poplar 36 in. dia. bears S53 E. 53 miles dist; to

Buck 18 " " " N56 W 43 " "

79.31 To the first set for the cor. to sec. 29, 30, 31 & 32

North Between Sec. 29. & 30. T. N. 16. N. R. N. 17.

23.30 To a Run Oak 22 in dia. Stands in the line

40.00 Set a post for the cor. to 1/4 sec. from which a

W. Oak 8 in. dia. bears S24 E. 31 miles dist; to

W. Oak 4 " " " N69 W. 27 " "

61.40 To a Sugar 20 in. dia. Stands in the line.

80.00 Set a post for the cor. to 1/4 sec. 19, 20, 29, & 30. from

which a Buck 16 in. dia. bears S75 E. 30 miles dist to

and a Do 10 " " " N45 W. 26 " "

Good nothing farming lands; Timber Buck
Oak, Ash, Walnut, Poplar, &c.

East On a Run line between Sec. 20. & 29. T. N. 16.
N. R. N. 17.

32.75 To a Buck 30 miles dist; bears S. E.

40.00 Set a temporary post for the cor. to 1/4 sec.

79.30 Into the N. & S. line at the first set for the
cor. to sec. 20, 21, 28, & 29. Land is rolling & good
for farming; Timber Same as on the last mile.

West On the true line between Sec. 20. & 29 T. N. 16. N.
R. N. 17.

39.60 Set the temporary post at the aver dist on the true line
for the cor. to 1/4 sec. from which a

W. Oak 12 in dia bears S26 W. 19 miles dist; to

Sugar 16 " " " N18 E. 36 " "

North Between Sec. 19. & 20 T. N. 16. N. R. N. 17.

20.60 To a Willow 10 in dia. Stands in the line.

40.00 Set a post for the cor. to 1/4 sec. from which a

W. Oak 8 in. dia. bears N81 W. 8 miles dist; to

W. Elm 10 " " " S69 E. 12 " "

T. N. 16. N. R. No 1 W. 2nd Mer. (Ind. ^c)

- 64.60 To a Buckeye 16 in. dia. Stands in the line.
 80.00 Set a post for the cor. to cor. 17. 18. 19 & 20 from
 which a Buck 16 in. dia. bears S 77.32 W. 32 miles dist;
 and a N. Oak 14 in. dia. S 47 E. 26 in. dia.
 Sunde level and 2nd rate; Limon Buck,
 Sugar, Oak, Ash &c May 8th 1821.

- East On a Random line between Sec. 17. & 20. T. N. 16.
 N. R. No 1 W.
 37.40 To a Brook 30 miles wide; Lorne S.E.
 40.00 Set a post for the cor. to 14 sec. (temp 19)
 79.31 Intersect the N. & S. line at the post set for the cor.
 to Sec. 16. 17. 20. & 21. Sunde Soil timber & Old home
 upon the last mile.

- West On the true line between Sec. 17. & 20 T. N. 16. N.
 39.15 Set the temporary post at the aver. dist on the true
 line for the cor. to 14 sec. from which a
 Buck 4 in. dia. stands S 28 E. 6 miles dist; to
 10 14 in. dia. S 64 W. 8 in. dia.
 79.31 To the post set for the cor. to Sec. 17. 18. 19. & 20.

- North Return Sec. 17. & 18 T. N. 16 N. R. No 1 W.
 21.30 To a N. Oak 36 in. dia. Stands in the line.
 40.00 Set a post for the cor. to 14 sec. from which a
 Buck 10 in. dia. bears N 21 E. 33 miles dist; to
 N. Oak 24 in. dia. S 57 W. 32 in. dia.
 60.60 To a Buck 16 in. dia. Stands in the line.
 80.00 Set a post for the cor. to Sec. 7. 8. 17. 18. from which
 a Buck 10 in. dia. bears S 55 W. 21 miles dist; to
 N. Oak 24 in. dia. S 60 E. 32 in. dia.
 Sunde and timber Lorne upon the last mile.

- East On a Random line between 8. & 17. T. N. 16 N.
 R. No 1 W.
 40.00 Set a temporary post for the cor. to 14 sec.

61

T. N. 16 N. R. N. 17. 2nd. Mer. (In a.)

79.33 Intersected the N. & S. line 8 miles N. of the first set
for the cor. to Sec. 8. 9. 16. & 17.
Sands soil and timber same as on the last mile.

West On the true line between Sec. 8. & 17. T. N. 16 N.
R. N.

39.66 Set the temporary post at the aver. dist. on the true line
for the cor. to $\frac{1}{4}$ sec. from which a
W. Elm 14 in. dia. bore N. 11 E. 21 miles dist; 10
Ironwood 4 in. " " S. 16 W. 10 " "

79.33 To the first set for the cor. to Sec. 7. 8. 17. 18.

North Between Sec. 7. & 8. T. N. 16. N. R. N. 17

22.60 To a Hick. 14 in. dia. stands in the line

40.00 Set a post for the cor. to $\frac{1}{4}$ sec. from which a
W. Oak 36 in. dia. bore S. 80 W. 17 miles dist; 10
Beck 16 in. " " N. 22 E. 15 " "

61.30 To a Red Oak 36 in. dia. stands in the line.

80.00 Made a corner on a W. Elm 28 in. dia. which is
stand for the cor. to Sec. 5. 6. 7. 8. from which a
W. Elm 12 in. dia. bore N. 16 W. 6 miles dist; 10
Do 24 in. " " S. 12 W. 25 in. "
Sands and timber same as on the last mile.

East On a Meridian line between Sec. 5. & 8. T. N. 16.
N. R. N. 17

40.00 Set a temporary post for the cor. to $\frac{1}{4}$ sec.

79.31 Intersected the N. & S. line 4 miles N. of the first set
for the cor. to Sec. 4. 5. 8. 9. Sands soil and timber
same as on the last mile

West On the true line between Sec. 5. & 8. T. N. 16. N. R.
N. 17.

39.15 Set the temporary post at the aver. dist. on the true
line for the cor. to $\frac{1}{4}$ sec. from which a
W. Oak 36 in. dia. bore S. 18 W. 18 miles dist; 10

I. N. 16 N. R. N. 1 W. 2nd Mer. (Ind.)

Beck 16 in dia. beam N 22 E. 16 miles dist;
79.31 To the first set for the cor. to sec. 5, 6, 7 & 8.

North Between Sec. 5 & 6. I. N. 16 N. R. N. 1 W.
23.40 To a Beck 24 in. dia. stands in the line
40.00 Set a post for the cor. to $\frac{1}{4}$ sec from which a
Beck 24 in. dia. beam S 27 N. 31 miles dist; to
Do 14 " " " N 13 E. 12 " "
63.00 To a P. Oak 22 in. dia. stands in the line
85.40 Into section the R. Correction 62 miles East of
the first
made set a post for the cor. to sec.
5 & 6. from which a
Walnut 12 in. dia. beam S 17 N. 32 miles dist
a Buckeye 4 " " " S 29 E. 29 " "
Description of soil timber to be omitted

West Between Sec. 30 & 31 I. N. 16 N. R. N. 1 W.
22.90 To a Beck 12 in. dia. stands in the line.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec from which a
Oak 10 in. dia. beam S 53 E. 34 miles dist
Oak 36 " " " N 12 E. 43 " "
55.31 To a Sugar 24 in. dia. beam in the line.
61.53 Into section the N. Boundary of I. N. 16 N. R. N. 1 W.
47 miles N. of the first set for the cor. to sec. 25 &
36 I. N. 16 N. R. N. 2 W. made set a post for
the cor. to sec. 30 & 31. from which a
Beck 8 in. dia. beam N 8 E. 25 miles dist; to
Do 8 " " " S 25 N. 24 " "
Same soil and timber same as on the last mer.

West On the true line between Sec. 19 & 30. I. N. 16 N.
R. N. 1 W.
24.40 To a Beck 12 in. dia. stands in the line.
40.00 Set a post for the cor. to $\frac{1}{4}$ sec from which a
Buckeye 8 in. dia. beam S 2 E. 3 miles dist; to

T. N^o 16 N.R. N^o 17. D^{ms} Mrs. J. a.

ch^d. l^{er}.

- 55.20 Sugar 16 in dia. beam N 15 W. 33 miles dist; 10
 61.62 To a sugar 16 in dia. beam in the line.
 61.62 Into data the West Boundary of T. N^o 16 N.R.
 N.R. N^o 17. 137 miles North of the first set off.
 24 & 25 T. N^o 16 N.R. N^o 27. and do set a post
 for the cor. to sec. 19. & 30 from which a
 Beech 8 in dia. beam S 32 W. 25 miles dist; 10
 Do 9 " " " N 46 E. 4 " "
 Sand & soil and timber same as the last mile.

- West Between Sec. 18 & 19 T. N^o 16 N.R. N^o 17.
 24.70 To a Beech 16 in dia. stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 W. Ash 16 in dia. beam N 61 E. 25 miles dist; 10
 Hoop 8 " " " S 77 W. 17 " "
 61.68 Into data the West Boundary of T. N^o 16 N.R. N^o
 17. 233 miles North of the first set for the cor. to
 Sec. 13 & 24 T. N^o 16 N.R. N^o 27. and do set a post
 for the cor. to Sec. 18 & 19 from which a
 Sugar 4 in dia. beam N 33 W. 5 miles dist; 10
 Beech 16 " " " S 33 W. 12 " "
 Sand & timber same as in the last mile.

- West Between Sec. 7 & 18 T. N^o 16 N.R. N^o 17.
 20.56 To a Beech 16 in. dia. stands in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which a
 Horshorn 6 in. dia. beam N 4 E. 24 miles dist;
 & a W. Ash 18 " " " N 72 W. 24 " "
 61.70 Into data the W. Boundary of T. N^o 16 N.R. N^o 17.
 300 miles North of the first set for the cor. to Sec.
 12 & 13 T. N^o 16 N.R. N^o 27. and do set a post for
 the cor. to Sec. 7 & 18 T. N^o 16 N.R. N^o 17. from which a
 Beech 4 in. dia. beam N 36 E. 11 miles dist; 10
 Do 14 " " " N 82 W. 24 " "
 Sand & timber same as in the last mile.

T. N. 16 N. R. N. 1 W. 2nd Mer. (Ind. Co.)

- West Between Sec. 6 & 7. T. N. 16 N. R. N. 1 W.
 21.74 Is an N. Oak 24 in. dia. found in the line.
 40.00 Set a post for the cor. to 1/4 sec. from which
 N. Oak 5 in. dia. found N 61 W. 11 miles dist. to
 N. Oak 6 in. " " S 65 E. 26. in. "
 61.73 Intersect the West Boundary of T. N. 16 N. R. N.
 1 W. 368 links N. of the post set for the cor. to Sec.
 1 & 12. T. N. 16 N. R. N. 2 W. made set a post for
 the cor. to Sec. 6 & 7. from which
 N. Oak. 24 in. dia. found N 57 W. 31 miles dist. to
 Bush 18 in. " " S 18 E. 9 in. "
 Sandhill timber do same as on the last mile.

Surveyed by
 Stephen Collett L. S.

I certify that the foregoing transcript of the
 field notes of Township N. 16. North of Range
 N. 1 West of the 2nd Mer. (Ind. Co.) has been Com-
 pared with the Original notes in this Office &
 found to be correct.

Surveyor General's Office,
 Cincinnati, Dec. 18. 1839

E. S. Peairs
 Sur. Genl.